

CP3-10R-11



PUSHBUTTON CP3-10R-11

Información General

Extended Product Type	CP3-10R-11
Product ID	1SFA619102R1071
EAN	7320500243091
Catalog Description	PUSHBUTTON CP3-10R-11
Long Description	Compact Pushbutton - Momentary - Extended - Red - Non-illuminated - Black plastic - 1NO+1NC

Clasificación

EAN	7320500243091
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501999

Dimensiones

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.06 m
Product Net Weight	0.022 kg

Información de Embalaje

Package Level 1 Units	10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.022 kg
Package Level 2 Units	10 piece

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Información Adicional

Actuator Type	Extended
---------------	----------

Bezel Material	Black plastic
Block	1NO+1NC
Color	Red
Degree of Protection	Front IP69K Terminals IP20
Function	Momentary
Illumination	Non-illuminated
Mechanical Durability	0.5 million
Number of Auxiliary Contacts NC	1
Number of Auxiliary Contacts NO	1
Product Main Type	CP3
Product Name	Pushbutton
Product Range	Compact
Product Type	CP
Rated Frequency (f)	Supply Circuit 50 Hz Supply Circuit 60 Hz
Rated Operational Current AC-15 (I_{θ})	(24 / 127 V) 1.5 A (220 / 240 V) 1 A
Rated Operational Current DC-13 (I_{θ})	(24 V) 0.3 A (125 V) 0.2 A
RoHS Date	0626 5

Certificados y Declaraciones (Número de Documento)

Data Sheet, Technical Information	1SFC151007C02_
Declaration of Conformity - CE	2CMT2015-005451
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

Clasificaciones

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC001028 - Push button, complete
ETIM 6	EC001028 - Push button, complete
ETIM 7	EC001028 - Push button, complete
Object Classification Code	S
UNSPSC	39121512
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Pulsanería → Compact Range

