



---

**PRODUCT-DETAILS****E 9F22 GG125****E 9F22 GG125 Fuse link**

---

**General Information**

<b>Extended Product Type:</b>	E 9F22 GG125
<b>Product ID:</b>	2CSM258343R1801
<b>EAN:</b>	8012542583431
<b>Catalog Description:</b>	E 9F22 GG125 Fuse link
<b>Long Description:</b>	E 9F22 GG125 is a 22x58 mm cylindrical fuse for circuits protection
<b>Display Name:</b>	E 9F22 GG125

---

**Technical**

<b>Fuse Type:</b>	gG
<b>Release Type:</b>	gG: Used in general protection of cables and lines in installation and industrial applications
<b>Construction Material:</b>	Ceramic
<b>Fuse Size:</b>	22x58
<b>Contact Material:</b>	copper silver plated (Cu/Ag)

---

## Electrical

---

Rated Voltage (U <sub>r</sub> ):	500 V
Rated Current (I <sub>n</sub> ):	125 A
Maximum Breaking Capacity:	120 kA
Power Loss:	Total 11.3 W at Rated Operating Conditions per Pole 11.3 W
I <sup>2</sup> t Characteristic:	9AKK108467A0133

---



---

## Material Compliance

---

RoHS Declaration:	9AKK106713A5625
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date:	20140127
REACH Declaration:	9AKK108467A9482
REACH Information:	True - contains substances > 0.1 mass percentage
REACH Date:	20240429
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

---



---

## Environmental

---

Environmental Information:	See RoHS Information
----------------------------	----------------------

---



---

## Dimensions

---

Product Net Width:	2 mm
Product Net Height:	6 mm
Product Net Depth / Length:	2 mm
Product Net Weight:	48 g
Dimension Diagram:	9AKK108466A8534

---



---

## Ordering

---

Package Level 1 Units:	box 10 piece
Package Level 1 Gross Weight:	0.05 kg
E-Number (Norway):	1655048

---



---

## Certificates and Declarations

---

Cut-off Current Characteristic:	9AKK108466A9077
---------------------------------	-----------------

---

Declaration of Conformity - CE: 9AKK106713A5625

---

## Installation

Instructions and Manuals: No document needed

---

## Popular Downloads

Data Sheet, Technical Information: 9AKK107991A8329

Time-Current Characteristic Curve: 9AKK108467A0153

---

## External Classifications and Standards

ETIM 9: EC002704 - Cylindrical fuse

ETIM 10: EC002704 - Cylindrical fuse

UNSPSC: 39121606

eClass: V11.0 : 27142002

Object Classification Code: F

Standards: IEC 60269-2

---

## Categories

Products > Low Voltage Products and Systems > Modular DIN Rail Products > Protection and Safety Devices > Cylindrical and D0 Fuses

